



STATE HEALTH PROFILE DATA SOURCES

FIHealthCHARTS.com

Data in Florida's State Health Profile report was obtained from [America's Health Rankings 2020 Reports](#) for Florida and for the US.

Quartiles are presented based on Florida's rank among the 50 states as follows: Quartile 1 when Florida's rank is 1-12, Quartile 2 when Florida's rank is 13-25, Quartile 3 when Florida's rank is 26-38 and Quartile 4 when Florida's rank is 39-50.

Social and Economic Factors

Measure	Description	Source	Data Year(s)
Occupational Fatalities	Number of fatal occupational injuries in construction; manufacturing; professional and business services; and trade, transportation and utilities per 100,000 workers	U.S. Bureau of Labor Statistics, Census of Fatal Occupational Injuries; U.S. Bureau of Economic Analysis	2016-2018
Public Health Funding	State dollars dedicated to public health and federal dollars directed to states per person by the Centers for Disease Control and Prevention (CDC) and the Health Resources & Services Administration	Trust for America's Health; U.S. Department of Health and Human Services (HHS)	2018-2019
Violent Crime	Number of murders, rapes, robberies and aggravated assaults per 100,000 population	U.S. Department of Justice, Federal Bureau of Investigation	2019
Economic Hardship Index	Compares the economic condition of one state relative to another based on crowded housing, dependency, education, income, poverty and unemployment; normalized index scores range from 0 to 100, with a higher score indicating worse economic conditions	U.S. Census Bureau, American Community Survey	2019
Crowded Housing	Percentage of occupied housing units with more than one person per room	U.S. Census Bureau, American Community Survey	2019
Dependency	Percentage of population ages 0-17 or ages 65 and older	U.S. Census Bureau, American Community Survey	2019
Education — Less Than High School	Percentage of population ages 25 and older without a high school diploma	U.S. Census Bureau, American Community Survey	2019
Per Capita Income	Per capita income in the past 12 months (in inflation-adjusted dollars to data year)	U.S. Census Bureau, American Community Survey	2019
Poverty	Percentage of households living below the federal poverty level	U.S. Census Bureau, American Community Survey	2019
Unemployment	Percentage of civilian population ages 16-64 that are unemployed	U.S. Census Bureau, American Community Survey	2019
Food Insecurity	Percentage of households unable to provide adequate food for one or more household members due to lack of resources	U.S. Department of Agriculture, Household Food Security in the United States Report	2016-2018
Income Inequality	Ratio of median household income at the 80th percentile to household income at the 20th percentile	U.S. Census Bureau, American Community Survey	2019

Measure	Description	Source	Data Year(s)
High School Graduation	Percentage of high school students who graduated with a regular high school diploma within four years of starting ninth grade	U.S. Department of Education, National Center for Education Statistics	2018
High School graduation Racial Gap	Difference in the high school graduation rate between white students and the racial/ethnic group with the lowest rate (varies by state)	U.S. Department of Education, National Center for Education Statistics	2018
Adverse Childhood Experiences	Percentage of children ages 0-17 who experienced two or more of the following: parental divorce or separation; living with someone who had an alcohol or drug problem; neighborhood violence victim or witness; living with someone who was mentally ill, suicidal or severely depressed; domestic violence witness; parent served jail time; being treated or judged unfairly due to race/ethnicity; or death of parent	U.S. HHS, Health Resources and Services Administration, Maternal and Child Health Bureau, National Survey of Children's Health	2018-2019
High Speed Internet	Percentage of households that have a broadband internet subscription and a computer, smartphone or tablet	IPUMS National Historical Geographic Information System: Version 14.0	2018
Residential Segregation	Index of dissimilarity with higher values indicating greater segregation between Black and white state residents, ranging from zero (complete integration) to 100 (complete segregation)	U.S. Census Bureau, American Community Survey	2014-2018
Volunteerism	Percentage of adults who reported volunteering in the past 12 months	Corporation for National & Community Service	2018
Voter Participation (midterm)	Percentage of U.S. citizens ages 18 and older who voted in the last midterm national election	U.S. Census Bureau, Current Population Survey, Voting and Registration Supplement	2018

Physical Environment

Measure	Description	Source	Data Year(s)
Air Pollution	Average exposure of the general public to particulate matter of 2.5 microns or less measured in micrograms per cubic meter	U.S. Environmental Protection Agency	2017-19
Drinking Water Violations	Percentage of population served by community water systems with a serious drinking water violation during the year	Environmental Protection Agency, Enforcement and Compliance History Online, Safe Drinking Water Information System	2020
Non-smoking Regulation	Percentage of population covered by 100% smoke free laws for restaurants, bars and non- hospitality workplaces	American Nonsmokers' Rights Foundation	2020
Risk-screening Environmental Indicator Score	Estimated human health-related risk from exposure to toxic chemicals based on emission data of more than 600	Environmental Protection Agency, Toxic Release Inventory, National Analysis File	2018

Measure	Description	Source	Data Year(s)
	chemicals, with higher scores denoting elevated risk		
Water Fluoridation	Percentage of population served by community water systems that receive fluoridated water	Centers for Disease Control and Prevention (CDC), Water Fluoridation Reporting System	2018
Climate Change Policies	Number of the following state policies in place: legally binding electricity portfolio standards, carbon pricing policies, climate change action plans and economy-wide greenhouse gas emission targets	Center for Climate and Energy Solutions	2020
Transportation Energy Use	Per capita energy use by the transportation sector	U.S. Department of Transportation, State Transportation Statistics	2018
Drive Alone to Work	Percentage of workers who drive alone to work	U.S. Census Bureau, American Community Survey	2019
Housing with Lead Risk	Percentage of housing stock with potential elevated lead risk due to age of housing	U.S. Census Bureau, American Community Survey	2019
Severe Housing Problems	Percentage of occupied housing units with at least one of the following problems: lack of complete kitchen facilities, lack of plumbing facilities, overcrowding or severely cost-burdened occupants	U.S. Department of Housing and Urban Development, Comprehensive Housing Affordability Strategy	2013-17

Clinical Care

Measure	Description	Source	Data Year(s)
Avoided Care Due to Cost	Percentage of adults who reported a time in the past 12 months when they needed to see a doctor but could not because of cost	CDC, Behavioral Risk Factor Surveillance System	2019
Dental Care Providers	Number of general dentists and advanced practice dental therapists per 100,000 population	U.S. HHS, Centers for Medicare & Medicaid Services, National Plan and Provider Enumeration System	September 2020
Mental Health Providers	Number of psychiatrists, psychologists, licensed clinical social workers, counselors, marriage and family therapists, advanced practice nurses specializing in mental health care as well as providers that treat alcohol and other drug abuse per 100,000 population	U.S. HHS, Centers for Medicare & Medicaid Services, National Plan and Provider Enumeration System	September 2020
Primary Care Providers	Number of active primary care providers (including general practice, family practice, obstetrics and gynecology, pediatrics, geriatrics, internal medicine, physician assistants and nurse practitioners) per 100,000 population	U.S. HHS, Centers for Medicare & Medicaid Services, National Plan and Provider Enumeration System	September 2020

Measure	Description	Source	Data Year(s)
Uninsured	Percentage of population not covered by private or public health insurance	U.S. Census Bureau, American Community Survey	2019
Colorectal Cancer Screening	Percentage of adults ages 50-75 who reported receiving one or more of the recommended colorectal cancer screening tests within the recommended time interval (fecal occult blood test [FOBT] within the past year, colonoscopy within the past 10 years, or sigmoidoscopy within five years and a home FOBT within the past three years)	CDC, Behavioral Risk Factor Surveillance System	2018
Dental Visit	Percentage of adults who reported visiting the dentist or dental clinic within the past year	CDC, Behavioral Risk Factor Surveillance System	2020
Childhood Immunizations	Percentage of children who received by age 35 months all recommended doses of the combined 7-vaccine series: diphtheria and tetanus toxoids and acellular pertussis (DTaP) vaccine; measles, mumps and rubella (MMR) vaccine; poliovirus vaccine; Haemophilus influenzae type b (Hib) vaccine; hepatitis B (HepB) vaccine; varicella vaccine; and pneumococcal conjugate vaccine (PCV)	CDC, National Immunization Survey— Child (Birth Cohort)	2016-17
Flu Vaccination	Percentage of adults who reported receiving a seasonal flu vaccine in the past 12 months	CDC, Behavioral Risk Factor Surveillance System	2019
HPV Vaccination	Percentage of adolescents ages 13-17 who have received all recommended doses of the human papillomavirus (HPV) vaccine	CDC, National Immunization Survey— Teen	2019
Personal (Usual) Health Care Provider	Percentage of adults who reported having a personal doctor or health care provider (Dedicated Health Care Provider)	CDC, Behavioral Risk Factor Surveillance System	2019
Preventable Hospitalizations	Discharges following hospitalization for diabetes with short- or long-term complications, uncontrolled diabetes without complications, diabetes with lower-extremity amputation, chronic obstructive pulmonary disease, angina without a procedure, asthma, hypertension, heart failure, dehydration, bacterial pneumonia or urinary tract infection per 100,000 Medicare enrollees ages 18 years or older continuously enrolled in Medicare fee-for-service Part A	Centers for Medicare & Medicaid Services Office of Minority Health's Mapping Medicare Disparities Tool	2018

Behaviors

Measure	Description	Source	Data Year(s)
Insufficient Sleep	Percentage of adults who reported sleeping, on average, less than seven hours in a 24-hour period	CDC, Behavioral Risk Factor Surveillance System	2018
Exercise	Percentage of adults who met the federal physical activity guidelines (150 minutes of moderate or 75 minutes of vigorous aerobic activity and two days of muscle strengthening per week) in the past 30 days	CDC, Behavioral Risk Factor Surveillance System	2019
Fruit and Vegetable Consumption	Percentage of adults who reported consuming two or more fruits and three or more vegetables daily	CDC, Behavioral Risk Factor Surveillance System	2019
Physical Inactivity	Percentage of adults who reported doing no physical activity or exercise other than their regular job in the past 30 days	CDC, Behavioral Risk Factor Surveillance System	2019
Chlamydia	Number of new cases of chlamydia per 100,000 population	CDC, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention Atlas	2018
High-risk HIV Behaviors	Percentage of adults who reported any of the following situations in the past year: injected any drug other than those prescribed for you, been treated for a sexually transmitted disease (STD), or given or received money or drugs in exchange for sex	CDC, Behavioral Risk Factor Surveillance System	2019
Teen Births	Number of births per 1,000 females ages 15-19	CDC Wide-ranging Online Data for Epidemiologic Research (CDC WONDER), Natality public-use data	2018
E-cigarette Use	Percentage of adults who reported using e-cigarettes or other electronic vaping products at least once in their lifetime and now use daily or some days	CDC, Behavioral Risk Factor Surveillance System	2018
Smoking	Percentage of adults who reported smoking at least 100 cigarettes in their lifetime and currently smoke daily or some days	CDC, Behavioral Risk Factor Surveillance System	2019

Health Outcomes

Measure	Description	Source	Data Year(s)
Depression	Percentage of adults who reported being told by a health professional they have a depressive disorder including depression, major depression, minor depression or dysthymia	CDC, Behavioral Risk Factor Surveillance System	2019
Excessive Drinking	Percentage of adults who reported binge drinking (four or more [women] or five or more [men] drinks on one occasion in the	CDC, Behavioral Risk Factor Surveillance System	2019

Measure	Description	Source	Data Year(s)
	past 30 days) or chronic drinking (eight or more [women] or 15 or more [men] drinks per week)		
Frequent Mental Distress	Percentage of adults who reported their mental health was not good 14 or more days in the past 30 days	CDC, Behavioral Risk Factor Surveillance System	2019
Non-medical Drug Use	Percentage of adults who reported using prescription drugs non-medically (including pain relievers, stimulants and sedatives) or illicit drugs (excluding cannabis) in the last 12 months	Rocky Mountain Poison & Drug Safety, RADARS® System Survey of Non-Medical Use of Prescription Drugs Program	2020
Non-medical Drug Use — Past Month	Percentage of adults who reported using prescription drugs non-medically (including pain relievers, stimulants and sedatives) or illicit drugs (excluding cannabis) in the last 30 days	Rocky Mountain Poison & Drug Safety, RADARS® System Survey of Non-Medical Use of Prescription Drugs Program	2020
Drug Deaths	Number of deaths due to drug injury (unintentional, suicide, homicide or undetermined) per 100,000 population	CDC WONDER Online Database, Underlying Cause of Death, Multiple Cause of Death files	2018
Premature Death	Number of years of potential life lost before age 75 per 100,000 population	CDC WONDER Online Database, Underlying Cause of Death, Multiple Cause of Death files	2018
Premature Death Racial Inequality	Ratio of the racial/ethnic group with the highest premature death rate before age 75 (varies by state) to the white population	CDC WONDER Online Database, Underlying Cause of Death, Multiple Cause of Death files	2016-18
Suicide	Number of deaths due to intentional self-harm per 100,000 population (age-adjusted to data year)	CDC WONDER Online Database, Underlying Cause of Death, Multiple Cause of Death files	2018
Frequent Physical Distress	Percentage of adults who reported their physical health was not good 14 or more days in the past 30 days	CDC, Behavioral Risk Factor Surveillance System	2019
High Health Status	Percentage of adults who reported that their health is very good or excellent	CDC, Behavioral Risk Factor Surveillance System	2019
Low Birthweight	Percentage of infants weighing less than 2,500 grams (5 pounds, 8 ounces) at birth	CDC WONDER Online Database, Natality public-use data	2018
Low Birthweight Racial Gap	Difference between the racial/ethnic group with the highest percentage of infants with low birthweight (varies by state) and white infants with low birthweight	CDC WONDER Online Database, Natality public-use data	2018
Arthritis	Percentage of adults who reported being told by a health professional that they have some form of arthritis	CDC, Behavioral Risk Factor Surveillance System	2019
Asthma	Percentage of adults who reported being told by a health professional that they currently have asthma	CDC, Behavioral Risk Factor Surveillance System	2019

Measure	Description	Source	Data Year(s)
Cancer	Percentage of adults who reported being told by a health professional that they had any form of cancer other than skin cancer	CDC, Behavioral Risk Factor Surveillance System	2019
Cardiovascular Diseases	Percentage of adults who reported being told by a health professional that they had angina or coronary heart disease; a heart attack or myocardial infarction; or a stroke	CDC, Behavioral Risk Factor Surveillance System	2019
Chronic Kidney Disease	Percentage of adults who reported being told by a health professional that they have chronic kidney disease	CDC, Behavioral Risk Factor Surveillance System	2019
Chronic Obstructive Pulmonary Disease	Percentage of adults who reported being told by a health professional that they have chronic obstructive pulmonary disease, emphysema or chronic bronchitis	CDC, Behavioral Risk Factor Surveillance System	2019
Diabetes	Percentage of adults who reported being told by a health professional that they have diabetes (excluding prediabetes and gestational diabetes)	CDC, Behavioral Risk Factor Surveillance System	2019
High Blood Pressure	Percentage of adults who reported being told by a health professional that they have high blood pressure	CDC, Behavioral Risk Factor Surveillance System	2019
High Cholesterol	Percentage of adults who reported having their cholesterol checked and were told by a health professional that it was high	CDC, Behavioral Risk Factor Surveillance System	2019
Obesity	Percentage of adults with a body mass index of 30.0 or higher based on reported height and weight	CDC, Behavioral Risk Factor Surveillance System	2019